TRAINMASTERS

B. W. BISHOP. Dunsmuir, Cal. W. B. KNIGHT. Dunsmuir, Cal. H. A. TEAL. Klamath Falls, Ore. K. E. GWINN. Klamath Falls, Ore.
ASSISTANT TRAINMASTER
F. J. DEONAlturas, Cal.
ROAD FOREMEN OF ENGINES
J. E. PETERSON
ASST. ROAD FOREMAN OF ENGINES
R. M. DICKSONDunsmuir, Cal.
CHIEF TRAIN DISPATCHER

R. R. ROBINSON

W. R. PETTY......Dunsmuir, Cal.

Assistant Superintendent, Dunsmuir, Cal.

SOUTHERN PACIFIC COMPANY



SHASTA DIVISION TIMETABLE 57

AT 12:01 A. M.

PACIFIC STANDARD TIME

FOR THE GOVERNMENT AND INFORMATION
OF EMPLOYES ONLY, WHO MUST ALSO
CARRY COPY OF CURRENT ISSUE
OF SPECIAL INSTRUCTIONS

R. E. HALLAWELL, General Manager.

> E. D. MOODY, H. R. HUGHES,

Assistant General Managers.

C. H. GRANT,

General Superintendent of Transportation.

M. S. OLSEN,
Superintendent of Transportation.

J. A. McKINNON, Superintendent.

HOSPITAL DEPARTMENT SURGEONS

LOCATION	NAME	TITLE
San Francisco	Dr. W. W. Washburn	Chief Surgeon
Dunsmuir	Dr. E. V. Anderson	District Physician and Surgeon
Dunsmuir	Dr. D. D. Todorovic	District Physician and Surgeon
Mt. Shasta	Dr. J. B. McGuire	District Physician and Surgeon
Montague	Dr. R. W. Jones (Residence)	
_	—Yreka)	District Physician and Surgeon
Hilt		District Physician and Surgeon
Ashland	Dr. H. A. Woods	District Physician and Surgeon
Ashland	Dr. Charles A. Haines	Asst. Dist. Physician and Surgeon
Red Bluff	Dr. E. R. Wilson	District Physician and Surgeon
Anderson	Dr. E. K. Harris	District Physician and Surgeon
Redding	Dr. H. R. McVickers	District Physician and Surgeon
Redding	Dr. J. L. Price	District Physician and Surgeon
Gerber	Dr. R. G. Frey	District Physician and Surgeon
Dorris	Dr. E. S. Peeke	District Physician and Surgeon
Klamath Falls	Dr. C. V. Rugh	Division Physician and Surgeon
Klamath Falls	Dr. Marvin Nerseth	District Physician and Surgeon
Klamath Falls	Dr. R. H. Engelecke	Asst. Dist. Physician and Surgeon
Klamath Falls	Dr. E. D. Lamb	Assoc. Dist. Physician and Surgeon
Klamath Falls	Dr. R. W. Stearns	Oculist and Aurist
Tule Lake	Dr. Isaac Spomer	District Physician and Surgeon
Alturas	Dr. J. Paul McKenney	District Physician and Surgeon
Alturas	Dr. Phillip W. McKenney.	District Physician and Surgeon
Lakeview	Dr. C. E. Leithead	District Physician and Surgeon
Yreka	Dr. R. W. Jones	District Physician and Surgeon

Note.—Emergency Surgeons should only be summoned for temporary treatment when prompt attention is required and when patients cannot be sent to or await arrival of Division or District Surgeon.

HOSPITALS

GENERALSAN FRA	NCISCO
EMERGENCY	GERBER

WATCH INSPECTORS

San Francisco C. D. Fabrin, Manager of Time Service, 65 Market St. Red Bluff Everett G. Smith Redding Adolph F. Dobrowsky Dunsmuir J. A. Porter Dunsmuir Delmar I. Griffin Weed J. N. Wilmarth Ashland C. R. Ramsey Klamath Falls Lawrence Bertram Alturas Virgil Pratt Lakeview A. E. Rugg

LOCATION OF STANDARD CLOCKS

LakeviewTrain-Order Offi	ce Klamath Falls Train-Order Office
GerberTrain-Order Offi	ce Klamath FallsRoundhouse
Gerber	se WeedTrain-Order Office
Redding Train-Order Offi	
Dunsmuir Yard Yard Offi	ce MontagueTrain-Order Office
DunsmuirTrain-Order Offi	ce HornbrookTrain-Order Office
DunsmuirChief Dispatcher's Offi	
DunsmuirTrick Dispatcher's Offi	
Dunsmuir Crew Dispatcher's Offi	
Dunsmuir Roundhouse Offi	
Mt. Hebron Train-Order Offi	
Klamath Falls Yard Train-Order Offi	
ALLEMAN A MAN A MAN A MAN O THOU OF	

2 REDDING SUBDIVISION														
		EASTWARD												
		THIRD CLASS FIRST CLASS									Timetable No. 57		E	
	pacity of sidings in car lengths	624	622	620										Distance from Gerber
1	in car tenguns	024 Freight		020 Freight			12	10 Shasta	20 Klamath	Mile Post Location		August 13, 1950		dstan Ger
			Freight ———			ļ	Cascade	Daylight	(c)				_	P
		Leave Daily	Leave Daily	Leave Daily			Leave Daily	Leave Daily	Leave Daily			STATIONS		
l 1	164 BKWOYP	PM 4.30	AM 8.30	12.30			PM 9.15	AM 11.40	AM 2.05	213.8	\mathbf{r}	CO-R GERBER		0.0
Gerber	P									214.8		1.0 KISKA		1.0
										215.8		PROBERTA		2.0
102	P	4.43	8.43	12.43			9.21	11.46	2.11	218.9		RAWSON		5.1
74 Fig. 1. Sept. 1. S	P	4.54	8.54	12.54			9.27	11.52	s 2.16	223.4	<u>r</u>	O RED BLUFF		9.6
<u>2</u> ∫98	P	4.56	8.56	12.56					2.27	224.5		GLADE	_	10.7
101	Р	5.06	9.06	1.06			9.33	AM 11.58	2.32	228.9	$\ \ _{-}$	4.4 BLUNT		15.1
108	P	5.16	9.16	1.16			9.38	PM 12.03	2.38	233.6	_	HOOKER	_	19.8
97	WP	5.27	9.27	1.27		<u> </u>	9.44	12.09	c 2.48	240.4	Ţ	TO COTTONWOOD		26.6
106	P	5.33	9.33	1.33					2.52	244.2	_	CULP		30.4
102	P .	5.38	9.38	1.38			9.50	12.15	c '3.00	247.1	Ţ	O ANDERSON		33.3
106 E 18	P 81 Yard Limits	5.46	9.46 AM	1.46			9.55		3.07	253.5		GIRVAN		39.7
_ w 9		5.55	9.55	1.55			s 10.04	s12.26	s 3.40	258.2	E 2	O REDDING	1	44.4
102							-			263.0	k System	SILVERTHORN		49.2
102							-		f 3.52	266.3	Block	CENTRAL VALLEY		52.5
102							-			270.4	matic	McCOLL		56.6
90									-	273.2	Auto	2.8 PITBRIDGE 4.4		59.4
102										277.6	-	O'BRIEN		63.8
_102							<u></u>			281.2	-	3.6 MEAD 4.5	Cen	67.4
106	WYP						-		<u>c</u>	285.7 289.8	-	LAKEHEAD	Centralized Traffic	71.9
110									s 4.35	296.7	-	4.1 DELTA	ed Tr	76.0
111	P					-				300.2	.	3.5 LAMOINE	affie	79.5
105	P						-			304.0	╢ .	GIBSON	Control	83.3
67	<u>P</u>					-	-			306.0	┨ │.	2.0 FISHER 3.4	10	85.3
110						-	-			309.4	.	SIMS 3.7		88.7
114	P					-	-			313.1		COÑÁNT 2.2		92.4
53	P						-		f 5.25	315.3		CASTELLA 3.0		94.6
Dunsmuir	106 P	9.00 P M	1.00	5.00			-			318.3	┨	CASTLE CRAG		97.6
ğğ).	ВКР	PM	PM	AM			s 11.40	s 1.56	s 5.55	321.2	'	TO-R DUNSMÜIR YARD		100.5
	BKWOTP	Apping Dall-	Applyo Dod-	Austra D-2		_	- PM	PM	AM	322.1	L	TO-R DUNSMUIR	_ ر	101.4
		Arrive Daily					Arrive Daily	Arrive Daily			<u> </u>	(101.4)		
l		(4.30) 22.33	(4.30) 22.33	(4.30) 22.33			(2.25) 41.96	(2.16) 44.73	(3.50) 26.43			Time over District Average Speed per Hour		

 \boldsymbol{RULE} 5. Schedule time and train-order time at Gerber apply at station sign.

RULE 86. Except within Centralized Traffic Control System second- and third-class trains, extra trains and engines must be clear of main track and insulated joints for Nos. 9, 10, 11 and 12 not less than ten minutes before the arriving, or leaving, or train-order time at that station.

Trains operate by C.T.C. between Redding and Dunsmuir but at stations where time is shown must not depart ahead of time.

ADDITIONAL STATIONS									
NAME	Mile Post	Capac- ity							
Dirigo	316.1								
Keswick Branch Kesdam	262.3 268.0								

30

12

30

MIDDLE CREEK

KÉTT

MATHESON

CORAM

(14.5)

11.7

9.5

3.8

0.0

261.0

263.2

268.9 267.2

271.0

ъ

 \mathbf{P}

6 KIRK SUBDIVISION										
	EASTWARD									
	FIRST CLASS	#	(D) 111 N FF	Ton Sils						
Capacity of sidings in car lengths	10 20 12 Shasta Daylight Klamath Cascade	Mile Post Location	Timetable No. 57 August 13, 1950	Distance from Klamath Falls						
	Leave Daily Leave Daily Leave Daily		STATIONS							
Klamath Falls yd. BKMOTYP BKMOTYP BKWOTYP	PM AM AM 4.41 10.20 2.35	429.5	TO-R KLAMATH FALLS	0.0						
Klan Falls	10.25	431.9	CHELSEA	2.4						
102 P	4.46 10.30 2.41	434.1	wocus	4.6						
101 P	4.51 010.36 2.46	438.9	TO ALGOMA	9.4						
107 P	4.55 10.41 2.50	442.6	3.7 OUXY	13.1						
102 P	4.59 010.47 2.54	447.2	TO MODOC POINT	17.7						
103 P	5.03 10.53 2.58	451.8	LOBERT	22.3						
187 KWYP	5.08 s11.04 3.03	456.7	TO CHILOQUIN	27.2						
82 P		458.0	PINE RIDGE	28.5						
105 P	5.13 11.12 3.09	461.1	BRAYMILL	31.6						
97 P	5.17 11.19 3.14	465.3	4.2 CALIMUS	35.8						
E 112 W 107 WYP	5.22 f11.28 3.20	470.3	y See TO KIRK	40.8						
95 P	11.35	474.5	# 4.2 FUEGO	45.0						
95 P	5.29 011.41 3.27	478.6	FUEGO 4.1 CHINCHALO	49.1						
96 WP	5.33 011.49 3.31	483.4	TO LENZ	53.9						
95 P	5.37 AM 011.55 3.35	488.2	MAZAMA	58.7						
106 P	5.41 PM 12.01 3.39	492.6	YAMSAY	63.1						
95 P	c 12.07	498.0	DIAMOND LAKE	68.5						
95 BKP	5.50 s12.17 c 3.48	503.3	TO-R CHEMULT	73.8						
96 WYP	5.53 12.25 3.51	507.2	PAUNINA_	77.7						
96 P	6.00 f12.35 3.58	514.8	TO MOWICH	85.3						
95 P	6.06 12.47 4.04	519.5	KOTAN	90.0						
96 P	6.11 12.55 4.09		4.5 UMLI	94.5						
Yard Limits Psgr. 45 BKWOYP	6.17 s 1.05 4.15	528.6	TO-R CRESCENT LAKE	99.1						
	Arrive Daily Arrive Daily Arrive Daily	7	(99.1)							
	(1.36) (2.45) (1.40) 61.93 36.04 59.41		Time over District							

RULE 5. Main track at Crescent Lake between switches of passenger siding may be used by any first-class train if track is known to be clear. Passenger siding is between main track and station building.

Freight trains on siding Chemult for passenger trains must provide passageway for passengers to station, member of crew to be stationed at the cut. Train must not be recoupled until all passengers have passed to station side.

RULE 86. Second- and third-class trains, extra trains and engines must be clear of main track and insulated joints for Nos. 9, 10, 11 and 12 not less than ten minutes before the arriving, or leaving, or train-order time at that station.

ADDITIONAL STATIONS								
NAME	Mile Post	Capac- ity						
Gilchrist Jet	513.2							

KIRK SUBDIVISION 7												
WESTWARD												
st u	Timetable No. 57	from			FI	RST CLASS		THIRD	CLASS			
Mile Post Location	August 13, 1950	Distance from Crescent Lake	19 Klamath	9 Shasta Daylight	11 Cascade		383 G. N. Ry. Freight	641 Freight	643 Freight	645 Freight		
	STATIONS		Arrive Daily	Arrive Daily	Arrive Daily		Arrive Daily	Arrive Daily	Arrive Daily	Arrive Daily		
429.5	TO-R KLAMATH FALLS	99.1	AM s 8.05	PM s 2.13	PM s 11.30		AM 6.10	AM 8.25	PM 4.25	AM 12.25		
431.9	CHELSEA 2,2	96.7	7.57						1.20			
434.1	WOCUS 4.8	94.5	7.54	2.06	11.23		6.02	8.17	4.17	12.17		
438.9	TO ALGOMA	89.7	f 7.49	2.01	11.18		5.55	8.10	4.10	12.10		
442.6	OUXY 4.6	86.0	7.43	1.57	11.14		5.50	8.05	4.05	12.05 AM		
447.2	TO MODOC POINT	81.4	f 7.37	1.53	11.10		5.44	7.59	3.59	11.59 PM		
451.8	LOBERT 4.9	76.8	7.33	1.49	11.06		5.38	7.53	3.53	11.53		
456.7	TO CHILOQUIN	71.9	s 7.27	1.44	11.01		5.31	7.46	3.46	11.46		
458.0	PINE RIDGE	70.6										
461.1	BRAYMILL 4.2	67.5	7.17	1.39	10.56		5.22	7.37	3.37	11.37		
465.3	CALIMUS 5.0	63.3	7.12	1.35	10.52		5.16	7.31	3.31	11.31		
470.3	TO KIRK	58.3	f 7.06	1.30	10.47		5.10	7.25	3.25	11.25		
474.5	FUEGO 4.1 CHINCHALO	54.1	c 7.01				5.03	7.19	3.19	11.19		
478.6	CHINCHALO 4.8	50.0	c 6.56	1.23	10.40		4.56	7.13	3.13	11.13		
483.4	TO LENZ	45.2	c 6.51	1.19	10.36		4.49	7.07	3.07	11.07		
488.2	MAZAMA 4.4	40.4	c 6.46	1.15	10.32		4.39	7.01	3.01	11.01		
492.6	YAMSAY 5.4	36.0	6.41	1.11	10.28		4.32	6.55	2.55	10.55		
498.0	DIAMOND LAKE 5.3	30.6	c 6.35				4.25	6.48	2.48	10.48		
503.3	TO-R CHEMULT 3.9	25.3	s 6.29	1.02	10.19		4.00 AM	6.41	2.41	10.41		
507.2	PAUNINA 7.6	21.4	c 6.23	12.59	10.16			6.35	2.35	10.35		
514.8	TO MOWICH 4.7	13.8	c 6.15	12.52	10.09			6.25	2.25	10.25		
519.5	KOTAN 4.5	9.1	6.10	12.47	10.04			6.19	2.19	10.19		
524.0	UMLI 4.6	4.6	6.05	12.43	10.00			6.13	2.13	10.13		
528.6	TO-R CRESCENT LAKE	0.0	6.00 AM	12.38 PM	9.55 PM			6.01 AM	2.00 PM	10.00 PM		
	, (99.1)		Leave Daily	Leave Daily	Leave Daily		Leave Daily	Leave Daily	Leave Daily	Leave Daily		

RULE 5. Main track at Crescent Lake between switches of passenger siding may be used by any first-class train if track is known to be clear. Passenger siding is between main track and station building.

.....Time over District..... Average Speed per Hour.

Freight trains on siding Chemult for passenger trains must provide passageway for passengers to station, member of crew to be stationed at the cut. Train must not be recoupled until all passengers have passed to station side.

RULE 86. Second- and third-class trains, extra trains and engines must be clear of main track and insulated joints for Nos. 9, 10, 11 and 12 not less than ten minutes before the arriving, or leaving, or train-order time at that station.

8	DESCRIPTION SUBDIVISION													
	EAST	WARD					1		WESTWA	ARD				
	SECONE	D CLASS	FIRST CLASS	,		Timetable No. 57	E0_	FI	RST CLASS		CLASS			
Capacity of sidings in car lengths	638 Freight	636 Freight	328 Passenge	_ \ ∑ ∃		August 13, 1950	Distance from Ashland	327 Passenger		635 Freight	637 Freight			
	Leave Daily	Leave Daily	Leave Dai	ily	-	STATIONS	-	Arrive Daily		Arrive Daily	Arrive Daily			
Yard Limits 210 WYP	РМ 8.30	AM 8.05	PM 3.2	345.2	1	TO BLACK BUTTE	85.1	PM 8 3.25		AM 7.07	PM 6.57			
Yard Limits	<u> </u>	_		347.0 345.8		IGERNA	83.3							
53 BKWOYP	8.53	8.24	s 3.4	O 348.4		TO-R WEED	80.7	s 3.04		6.45	6.35			
44 WYP	9.08	8.39	s 3.5	353.4		EDGEWOOD	75.7	s 2.52		6.23	6.13			
67 P	9.28	8.59	s 4.1	O 361.0		TO GAZELLE	68.1	s 2.35		6.02	5.52			
80 P Yard Limits	9.40	9.11	£ 4.2	369.1	- I	GRENADA	60.0	s 2.24		5.49	5.39			
62 KP	9.54	9.25	s 4.4	O 375.5	System	TO MONTAGUE	53.6	s 2.13		5.35	5.25			
63 YP	10.02	9.33	f 4.4	380.7	Block	SNOWDON	48.4	f 2.03		5.27	5.17			
51 P Yard Limits	10.18	9.49	f 5.0	386.2	atic	AGER	42.9	f 1.49		5.09	5.00			
73 KWYP	10.39	10.10	s 5.2	393.1	Automatic	TO HORNBROOK	36.0	s 1.32		4.46	4.36			
48 P	11.18 PM	10.49	s 5.4	401.8		TO HILT	27.3	s 1.03		4.12	4.02			
57 P	11.36 AM	11.07 AM	f 6.0	5 407.4		GREGORY	21.7	f 12.46		3.49	3.39			
73 TP	12.01	11.32 PM	s 6.2	412.2		SISKIYOU	16.9	s 12.31		3.30	3.20			
55 WP	12.30	12.07	6.4	419.3	_	STEINMAN	9.8	12.07 PM		2.50	2.40			
68 P	12.45		f 6.5			MISTLETOE	6.2	f 11.56 AM		2.33	2.23			
Ashland yard BKWOTP	1.07 AM	12.45 PM	s 7.2 PM	429.1	$\ _{-}$	TO-R ASHLAND	0.0	11.40 AM		2.10 AM	2.00 PM			
/	Arrive Daily		Arrive Da		_ _	(85.1)		Leave Daily		Leave Daily	Leave Daily			
	(4.37) 18.43	(4.40) 18.24	(3.55) 21.73			Time over District		(3.45) 22.69		(4.57) 17.19	(4.57) 17.19			

GS and AC class engines not permitted to operate between Hornbrook and Ashland.
Water Supply: One-fourth mile east of Grenada
MP 390.5
MP 403.6 (Emergency only)

ADDITIONAL STATIONS									
NAME	Mile Post	Capac- ity							
Peters and Daly . (Spur) Belleview	$\frac{426.2}{426.8}$								

MERRILL SUBDIVISION

	EA	STWARD					WEST	WARD	
c			st on	Timetable No. 57	m Ils		THIRD	CLASS	
	Capacity of sidings in car lengths		ts g Timetable No. 57		Distance from Klamath Falls	651 Freight	653 Freight	655 Freight	
				STATIONS	ďΧ		Arrive Daily	Arrive Daily	
	BKWOYP	4	457.3 458.3	TO-R ALTURAS	97.5	AM 6.15	PM 2.15	PM 10.15	
	61	4	459.9	1.6 JUNIPER	95.9				
	72 P	4	470.6	10.7 FLETCHER	85.2	5.40	1.40	9.40	
	75 WYP		477.7	TO CANBY	78.1	5.20	1.20	9.20	
	75 YP	4	485.4	7.7 AMBROSE	70.4	4.50	12.50	8.50	
	72 P	4	489.8	4.4 BOLES	66.0	4.25	12.25	8.25	
	81 WP	4	493.6	HACKAMORE	62.2	4.15	12.15 PM	8.15	
].	73 P	5	500.8	7.2 MEARES	55.0	3.50	11.50 AM	7.50	
	105 WYP	5	506.1	TO PEREZ	49.7	3.30	11.30	7.30	
-	73 P		515.4	9.3 CORNELL	40.4	2.58	10.58	6.58	
-	YP	5	521.9	STALEY	33.9				
-	73 WP	5	524.3	STRONGHOLD	31.5	2.38	10.38	6.38	
-	Yard Limits	5	525.4	1.1 Great Northern Ry. Crossing	30.4				
-	40 P	5	529.7	TO TULE LAKE	26.1	2.28	10.28	6.28	
-	97 P	5	533.2	HATFIELD	22.6	2.20	10.20	6.20	
-	73 P	5	537.9	TO MERRILL	17.9	2.10	10.10	6.10	
-	P		547.1	STUKEL	8.7	1.50	9.50	5.50	
	BKWOTYP BKWOTYP		555.0 428.7	TO-R KLAMATH FALLS YARD	0.8	1.30 AM	9.30 AM	5.30 PM	
	로	4	429.5	TO-R KLAMATH FALLS	0.0				
]=				(97.5)		Leave Daily	Leave Daily	Leave Daily	
				Average Speed per Hour		(4.45) 20.88	(4.45) 20.88	(4.45) 20.88	

 ${\bf RULE~5.}~$ Schedule time and train-order time at Alturas apply at train-order office.

Take water at Hackamore and Stronghold only in emergency.

	EASTWARD THIRD CLASS	st n	Timetable No. 57	mo.	WEST THIRD	WARD CLASS
Capacity of sidings in car lengths	658	Mile Post Location	August 13, 1950	Distance from Lakeview	657	
	Freight		Lakeview Branch	l sig	Freight	
	Leave Daily Ex. Saturday		STATIONS		Arrive Daily Ex. Sunday	
Yard Limits BKWOYP	AM 5.00	458.3 456.8	TO-R ALTURAS	55.5	AM 8.50	
16 P		466.9	SURPRISE	45.4		-
21 P		478.6	DAVIS CREEK	33.7		
20 P	6.55	491.2	TO WILLOW RANCH	21.1	6.55	
15		497.8	FAIRPORT	14.5		
Yard Limits BKWYP	8.50 AM	512.3	TO-R LAKEVIEW	0.0	5.00 AM	
	Arrive Daily Ex. Saturday		(55.5)		Leave Daily Ex. Sunday	
	(3.50) 14.48		Time over DistrictAverage Speed per Hour		(3.50) 14.48	

ADDITIONAL STATIONS					
NAME	Mile Post	Capac- ity			
Alturas line Copic Homestead Tuber Malone Lost River Hosley Gem Spring Lake	520.3 525.6 527.7 536.0 541.0 543.8 548.1 550.3				

 ${\bf RULE~5.}$ Schedule time and train-order time at Alturas apply at train-order office.

Water Supply: MP 485.8

SPECIAL INSTRUCTIONS—ALL SUBDIVISIONS

CONDITIONAL FLAG STOPS, ETC., TO RECEIVE OR DISCHARGE TRAFFIC

Conditional flag stops, etc., are designated by "c" in schedule column, and are for traffic as shown below:

				FOR REVENUE PASSENGERS			
Train	STATION	KIND	FREQUENCY	RECEIVE TO (or beyond)	DISCHARGE FROM (or beyond)	FOR OTHER TRAFFIC	
12	Chemult	Flag	Daily		Davis		
19	Mowich	Flag	Tues, and Sat			To entrain employes	
19	Paunina	Flag	Monday	Any station			
19	Diamond Lake	Flag	Monday	Any station		<u></u>	
19	Diamond Lake	Flag	Tues, and Sat	This Boardon		To entrain employes	
19	Mazama	Elam				10 entram emproyes	
19	T	Flag	Monday	Any station			
	Lenz	Flag	Daily	Klamath Falls	Lugene	To entrain employes	
19	Lenz	Flag	Tues. and Sat			To entrain employes	
19	Chinchalo	Flag	Saturday	Any station			
19	Fuego	Flag	Saturday	Any station	1	l	
19	Kegg Pitt	Flag	Sun. Wed. Fri	Any station	Any station	l	
19	Black Butte	Flag	Daily		Klamath Falls		
19	Shasta Springs	Flag	Daily	Davis	Klamath Falls		
19	Sims	Stop if necessary	Daily	Davis	Mamam Pans	To dispatch parcel post	
19	T		Dany				
	Lamoine	Stop if necessary	Daily			To dispatch parcel post	
19	O'Brien	Stop if necessary	Daily			To dispatch parcel post	
20	Cottonwood	Stop	Monday and day				
20	Anderson	Stop	following Holi- days Monday and day following Holi-			To exchange U. S. Mail	
			darra			To exchange U. S. Mail	
20	Lakehead	Stop if necessary				To dispatch parcel post	
20	Any Station		•	NISPERSON CONTRACTOR C		10 dispuson paroor post	
	Gerber to Dunsmuir		Daily	Black Butte			
20	Shasta Springs	Flag	Daily	Klamath Falls	Davis	1	
20	Black Butte	Flag	Daily	Klamath Falls	Sacramento		
20	Bolam	Flag	13th and 29th			To entrain employes	
20	Kegg Pit	Flag				To receive or discharge employes	
20	Algoma	Flag	Doily	Eugene	Corbor	To receive or discussing employes	
20		Flag				m later to according	
	Algoma	Flag				To detrain employes	
20	Algoma	Stop if necessary	Daily			To receive or discharge U. S. Mail or	
						newspapers	
20	Modoc Point	Flag	Daily	Eugene	Gerber		
20	Modoc Point	Flag	Tues. and Sat			To detrain employes	
20	Modoc Point	Stop	Daily			To exchange U. S. Mail	
20	Chinchalo	Flag	Daily	Eugene	Gerber	10 Chondinge C. D. Main	
20	Lenz	Flag	Daily	Fugeno	Klamath Falls	· · · · · · · · · · · · · · · · · · ·	
20	Lenz	Ulag	Tues and Cat	Lugene	maniani rans	To detrain employes	
20		Flag				10 degram employes	
	Mazama	Flag	Daily	Eugene	Gerber		
20	Diamond Lake	Flag	Tues. and Sat			To detrain employes	
	L 78			1	1	1	

RULE 4. Designated holidays:
New Year's Day, January 1st.
Washington's Birthday, February 22nd.
Decoration Day, May 30th.
Independence Day, July 4th.
Labor Day, first Monday in September.
Thanksgiving Day, fourth Thursday in November.
Christmas Day, December 25th.

RULE S-72. Westward trains are superior to trains of the same class in the opposite direction.

RULE 105. Sidings designated "E" in capacity of sidings column are assigned for use by eastward trains; those designated "W" are assigned for use by westward trains.

Capacity of sidings column indicates the number of cars of average length of 49 feet that siding will hold between fouling points, in addition to one steam engine and caboose.

SPECIAL INSTRUCTIONS—REDDING SUBDIVISION

RULE 83 (A). At the following stations, only the trains indicated will register:

Dunsmuir Yard \dots Trains originating or terminating.

RULE 83 (B). At open train-order offices trains may register by ticket as follows:

Dunsmuir-Nos. 9, 10, 11 and 12.

RULE 105. Redding. Track on passenger station side next to main track is westward siding. Track on freight station side next to main track is eastward siding and extends from initial switch at west end to beginning of C. T. C.

RULE 221. First-class trains will not obtain clearance at Dunsmuir Yard.

Eastward trains originating at Dunsmuir Yard and westward trains terminating at Dunsmuir Yard need not obtain clearance at Dunsmuir.

Light engines originating must obtain clearance and register at Dunsmuir instead of Dunsmuir Yard.

SPECIAL INSTRUCTIONS—BLACK BUTTE SUBDIVISION

RULE 83. Eastward trains must obtain train-order check of overdue superior trains at Black Butte, but may identify opposing trains between west and east switches Black Butte, and may identify eastward superior trains between train-order office and east switch Black Butte.

RULE 83 (A). At the following stations, only the trains indidicated will register:

Dunsmuir Yard Trains originating or terminating.

Klamath Falls Yard—Westward trains originating at Klamath Falls; eastward third-class and extra trains terminating at Klamath Falls.

Klamath Falls—All trains except westward extra freight trains originating.

originating.
Weed—Trains originating or terminating.

RULE 83 (B). At open train-order offices, trains may register by ticket as follows:

Dunsmuir-Nos. 9, 10, 11 and 12.

Klamath Falls Yard—Westward first-class trains and extra passenger trains.

Klamath Falls—Westward GNRy trains.

Operator Klamath Falls will repeat registration of eastward first-class trains to operator Klamath Falls Yard for entry in register. Registration must be repeated for verification.

RULE 105. Weed. Siding located east of station building on opposite side of main track.

Black Butte. Siskiyou siding extends from connection to controlled siding at west switch Black Butte to connection to controlled siding opposite east water column. West switch is dual controlled, east switch hand operated. Westward trains must not enter Siskiyou siding without permission from dispatcher.

Grass Lake. Track on station side of main track is westward siding. Westward trains taking siding, stop east of west switch house track. Track on opposite side of main track is eastward siding.

Bray. House track must be left clear for meeting or passing of trains.

Mt. Hebron. Track on station side of main track is westward siding. Track on opposite side of main track is eastward siding.

Siskiyou. When a westward train is holding main track to meet an eastward train and switch is open for train to enter siding, conductor of train holding main track will arrange to protect the eastward train against light engines or other trains occupying siding, and will give the eastward train sufficient room to avoid stopping engines in tunnel. Eastward trains or engines will leave turntable lead at east switch located 200 feet west of signal 4122.

 ${\bf RULE~221.}$ First-class trains will not obtain clearance at Dunsmuir Yard.

Light engines originating must obtain clearance and register at Dunsmuir instead of Dunsmuir Yard.

Other eastward trains originating at Dunsmuir Yard and westward trains terminating at Dunsmuir Yard need not obtain clearance at Dunsmuir.

First-class trains will not obtain clearance at Klamath Falls Yard.

RULE 83 (A). At the following stations, only the trains indicated will register:

Chemult......Trains originating or terminating.

RULE 83 (B). At open train-order offices, trains may register by ticket as follows:

Klamath Falls.... Westward GNRy trains.
Crescent Lake..... Nos. 9, 10, 11, 12, 19 and 20.
Operator Klamath Falls will repeat registration of eastward first-class trains to operator Klamath Falls Yard for entry in reg-

Registration must be repeated for verification.

RULE 105. Kirk. Track on station side of main track is eastward siding. Track on opposite side of main track is westward siding.

SPECIAL INSTRUCTIONS—MERRILL SUBDIVISION

RULE 82 (A). On Saturday No. 657 may leave Lakeview without clearance if no operator on duty.

RULE 221. Light will not be displayed in train-order signal at Willow Ranch except when train-order operator is on duty.

MILEAGE

Main Line

	First Track	Second Track	Miles
Proberta to Ashland	$180.85 \\ 27.60$		
Black Butte to Crescent Lake CPRy Alturas to Klamath Falls Yard CPRy	181.77 97.65		
Total Main Lines	487.87	0.0	487.87
Branches			
Keswick—Redding to Coram USBR Lakeview—Alturas to Lakeview CPRy	15.17 56.16		
Total Branches			71.33
Total Shasta Division			559.20

SPEED TABLE

TIME PER MILE	MILES PER HOUR
36"	100 97.3 94.7 92.3 90
41" 42" 43" 44"	87.8 85.7 83.7 81.8 80
46" 47" 48" 49"	78.3 76.6 75 73.5 72
51" 52" 53" 54" 55"	70.6 69.2 67.9 66.7 65.5
56" 57" 58" 59"	64.3 63.2 62.1 61 60
1'01"	59 58.1 57.1 56.2 55.4
1'06"	54.5 53.7 52.9 52.2 51.4
1'11"	50.7 50 49.3 48.6 48.6
1'16"	47.4 46.8 46.2 45.6 45.6
1'25"	42.4 40 37.9 36 34.3
1′50″	32.7 31.3 30 26.7 24
2'45"	21.8 20 17.1 15 12
6'00" 7'00" 7'30" 8'00" 10'00"	10 8.6 7.5 6

