G. L. KENNEDY, Trainmaster
W. R. BABB. A. MATHISEN. J. H. HORAN. M. A. BARBER. L. E. REHBEIN. G. M. HOBACK. H. A. MILLER. J. F. BRAND. J. D. HUNTER. R. G. BUCKINGHAM.
G. W. SEARS, Trainmaster
A. J. STROBEL, General Watch Inspector
JOHN E. HESS. 1536 West 47th St. Chicago. SVERRE MYRE. 5155 S. Kedzie Ave. Chicago. P. W. KIENZLER. 74-76 N. Chicago St. Joliet. W. H. KERR. 308 E. Main St. Streator. L. A. BIRKENBUSCH. 420 Court St. Pekin. F. E. LYNDS. 203 N. 2nd St. Chillicothe. C. W. HALLSTROM. 24 South Cherry St. Galesburg. L. B. HARDY. 714 Avenue G. Ft. Madison. J. H. MACE CO. (H. L. Carter). Union Station Kansas City, Mo.
SURGEONS OF THE A.T.&S.F. HOSPITAL ASSOCIATION. DR. GEO. S. HOPKINS, Chief Surgeon
LOCAL SURGEONS
Dr. Fredrick Gruneck, 3954 Sheridan Road
Dr. R. D. Kearney, 6235 So. Kedzie
DR. G. T. BUTTICE, 2136 South Indiana
DR. E. F. ADDENBROOKE, Dermatologist
25th Floor Stevens Hotel, 720 S. Michigan Chicago. DR. T. J. BENTON
DR. WM. A. MEADOWS & DR. E. A. ALBERSLockport.
DR. HAROLD E. HENKELockport. DR. JOSEPH DUFFY & DR. CHAS. W. HOFFMANJoliet. DR. P. G. NICHOLSONCoal City.
Dr. Warren F. Breisch
DR. G. K. WILSON
DR. R. J. DAVIES
DR. MICHAEL SCHUBERT
DR. H. G. JOHNSON & DR. F. Z. WHITE
DR. S. M. HANAUER & DR. SIDNEY I. WALD Galesburg.
DR. L. T. HOYT & DR. R. E. ICENOGLE
DR. HAROLD L. BOCK
DR. F. L. LYMAN, 819½ Avenue G. Ft. Madison. DR. F. R. RICHMOND, 815 Avenue H. Ft. Madison.
DR. R. L. FEIGHTNER (Surgery Consultant) Ft. Madison.
DR. GEO. J. MCMILLAN
EYE, EAR, NOSE AND THROAT SPECIALISTS AT LOCAL POINTS.
Dr. D. J. Boles (Eye Only), 55 East Washington Chicago.
DR. HAROLD J. KOCH, 6235 S. Kedzie (Eye Only) Chicago. DR. O. E. VAN ALYEA, 135 So. LaSalle St Chicago.
DR. W. G. ACKERMAN (Eye Only), 104 S. MichiganChicago. DR. GEO. W. CARLINJoliet.
DR. H. S. LESTERStreator.
DR. B. O. BENDIXEN
DR. GEO. K. SMARTGalesburg.
DR. A. C. RICHMONDFt. Madison.

The Atchison, Topeka and Santa Fe Railway Co.

EASTERN LINES
Eastern District

ILLINOIS DIVISION

TIME TABLE No.

00

IN EFFECT

Sunday, January 10, 1954

At 12:01 A. M. Central Standard Time.

This Time Table is for the exclusive use and guidance of Employes.

J. N. LANDRETH, General Manager, Topeka, Kansas

R. J. YOST, Superintendent, Chillicothe, Illinois. P. O'SULLIVAN, Asst. General Manager Topeka, Kansas.

R. D. CLOUSING, Superintendent, Chicago, Illinois.

Hall 12 53 5500 7051

2 ILLINOIS		01011	•		-							FIRST	101		
						First CI						TIME TABLE		pur	ings
	7	9	3	17	15	21	13	25	23	11	19	No. 88,	Ruling Grade Ascending.	Fuel, Water, Turn Tables and Wyes.	y of Sid
IGNAL SYSTEM ONE IN EFFECT:	Fast Mail- Express.	Kansas City Chief.	California Limited.	Super Chief.	Texas Chief.	El Capitan.	Motor.	Motor.	The Grand Canyon.	The Kansas Cityan.	The Chief.	January 10, 1954.	Rulin	Turn 7	Capacity of Sidings
Joliet U.S., Plaines, Ver- na, Streator, Ancona, Toluca nd Chillicothe Interlock- ngs.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Except	Leave Daily Except	Leave Daily.	Leave Daily.	Leave Daily.	STATIONS.			
IGNAL SYSTEM TWO	PM 11.25	PM 10.00	PM 8.45	PM 7.00	PM 6.00	PM 5.45	PM 1.35	Sun.	PM 12.30	AM 9.30	AM 9.00	CHICAGO. YL		FT	-
IN EFFECT:	11.30	10.05	8.50	7.05	6.05	5.50	1.40		12.35	9.35	9.05	C. & W.I. Ict.			-
Stewart Avenue to Chilli- the, except Joliet U.S.,												Stewart Ave. Crossing.	79.2		
aines, Verona, Streator, ncona, Toluca and Chilli- the Interlockings.	11.37	10.12	8.57	7.12	6.12	5.57	1.47		12.41	9.41	9.12	Panhandle Crossing.	35.8		
the interlockings.							f					I.N. Crossing.		FY	
ULE 251 IN EFFECT: Stewart Avenue to Inter-	11.41	10.15	9.00	7.15	6.15	6.00	1.52		12.45	9.45	9.15	H Chicago Belt Crossing. H NERSKA. YL	0		
Joliet U.S. to Pequot.	11.46	10.22	9.06	7.21	6.21	6.06	s 2.00		12.52	9.50	9.21	McCOOK. MB. & O.C.T. Crossing.	0		E
ULE 261 IN EFFECT:		10.28	9.11	_			s 2.08		12.59		9.26	WILLOW SPRINGS.	0		E :
Interlocking M.P. 3.1 to ilet U.S.	11.58 -AM-	10.37	9.20	_	6.34		s 2.22		1.08		9,34	U LEMONT.	0		177
Pequot to Chillicothe, inding Main Track No. 3.	12.03	10.42	9.24		6.39		f 2.28		1.12		9.39	₹	0		W
and man truck 110. b.	12.07	10.40	9.21	1 123	0.12	0.21	2,55		1.10	10.09	2,42	O 3.5 O	10.6	FT	-
Frains must secure num-	10.15	-10.55	- 0 40	F. F. O	- 6 50	6.05	- 0.45			-10.15	0.50	JOLIET U. S. YL	10.6		-
ed clearance cards before ving originating stations, ept trains from Pekin Dis-		11.00	s 9.40 9.45		s 6.50	6.39	2.52		1 29	10.19	9.50	C.R.I. & P. Crossing.	0		w
et at Ancona.	12120	11.00	3.13	7131	0.51	0.00	1 3.00		1:27	10.19	7,54	DRUMMOND.	15.8		-
e governed by C. & W. I. ne Table, Rules and Reg- tions between Chicago and W.I. Jct.	12,30	11.10	9.59	8.06	7.03	6.48	1 3.06		1.39	10.28	10.03	LORENZO.	9.1		EW
Between Stewart Ave.	12.34	11.14	10.04	8.10	7.07	6.52	3.12		1.43	10.32	10.07	PEOUOT.	8.7		
ssing and Panhandle ssing, A.T.&.S.F. trains use Illinois Central Main			s10.08				s 3.14					COAL CITY.	10.2		_
cks with the current of							8 3.26					MAZON. 4.7	15.8		173
with the current of ffic on signal indication in Stewart Avenue Cross- westward; on hand sig- s from the Switchtender	12.45	11.27	10.22	8.21	7.17	7.02	s 3.33		1.53	10.42	10.17	VERONA.	13.7		W
n Famanule Crossing							s 3.39					KINSMAN.	15.8		
tward; and on signal indi- ion in either direction h the current of traffic	10.56	11.00	10.05	0.21	7.07	7.10	s 3.47		2.02	10.50	10.07	RANSOM.	0		E
n Interlocking M.P. 3.1. se tracks are in Yard			10.35		7.27		s 3.54	PM				KERNAN.	0		E
its (see Rule 93) and pro- ion per Rule 99 must also	1.05	s11.50	s10.50	8.40	s 7.35	7.20	s 4.10	2.15	s 2.10	11.00	10.35	0.2	0	FT	_
provided. Tovement through slip												GM&O & NYC Crs'g.	10.1	_	
tches east of Panhandle ssing may be made only							1 4.17	1 2.20				Wabash Crossing.	0		
and signals from Switch- ler. Signals will be given	1.13	11.59	11.00	8.46	7.42				2.17	11.07	10.42	ANCONA.	0		
t. yellow flag or yellow							- PM -	1 2.34				6.3 — O	15.8		
ain Track No. 3 between nan and M.P. 88.8 is first	1.24	- AM - s12.15	s11.15	8.57	7.52	7.37		s 2.43	2.28	11.17	10.52	TOLUCA.	26.4	1	W
k south of eastward main k. Trains have no Time							Via Pekin	s 2.53				LA ROSE.			
le superiority.	1.33	12.24	11.30	9.06	8.01	7.46	District.	s 3.00	2.37	11.26	11.01	WILBERN.	26.4		_
62	1.45 AM	s12.35	s11.45 PM	9.15 PM	8.10 PM	7.55 PM		s 3.10 PM	s 2.45 PM	s11.35 AM	11.10 AM	CHILLICOTHE.		FT	
	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Except Sun.	Arrive Daily Except Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(130.0)			
	55.7	50.3	43.3	57.8	60.0	60.0	34.4	44.0	57.8	62.4	60.0	Average speed per hour.			

	DI L	ISTRICT.								**************************************		ILL	INOI
i	. ao	TIME TABLE						ASTWAF		· · · · · · · · · · · · · · · · · · ·			
Communications. Mile Post.	ng Grade cending.	Ne. 88,	8	4	22	10	16	20	26	14	18	24	12
M. Mi	Ruling (January 10, 1954.	Fast Mail- Express.	California Limited.	El Capitan.	Kansas City Chief.	Texas Chief.	The Chief.	Motor.	Motor.	Super Chief.	The Grand Canyon.	The Chicagoan
		stations.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily Except Sun.	Arrive Daily Except Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.
c		CHICAGO. YL	AM 5.00	AM 6,45	AM 7.15	AM 7.30	AM 9.00	AM 9.45	Dau.	PM 12.01	PM 1.30	PM 3.15	PM 8.00
1.3	0	1.3 C. & W.I. Jct.	4.55	6.40	7.10	7.25	8.55	9.40		- PM	1.25	3.10	7.55
1.4	79.2	Stewart Ave. Crossing.											
4.4	26.4	Panhandle Crossing.	4.40	6.29	6.53	7,14	8.44	9.29		11.46	1.14	2.59	7.4
5.9	0	I.N. Crossing. CORWITH. YL								f			
7.3		Chicago Belt Crossing.	4,36	6. 25	6,50	7.10	8.40	9,25		11.42	1.10	2.55	7.40
12.9		McCOOK. McCOOK. B. & O.C.T. Crossing.	4,28	6.17	6.41	7.02	8.32	9.17		s11.33	1.02	2.47	7,3
-	0	M											
17.4		SPRINGS.	4.21	6.11	6.35	6.56	8.26	9.11		f11.24	12.56	2.41	7.2
25.1		m LEMONT. 🗟	4.12	6.03	6.29	6.48	8.18	9.03		s11.12	12.48	2,33	7.1
29.3	10.6	💟 ROMEO. S	4.05	5.57	6.23	6.42	8.12	8,57		f11.05	12.42	2.27	7.1
32.7	10.6	LOCKPORT. S 3.5 Tockport. Tockpo	3,59	5.53	6.19	6.3 8	8.08	8.53		s11.00	12.38	2.23	7.1
36.2	10.6	O JOLIET YARD. YL											
37.5	10.0	D JOLIET U.S. YLα ▼ C.R.I. & P. Crossing.	3.50	s 5.45	6 10	s 6.30	s 8 . 00	8.45		s10.50	12.30	f 2.15	s 7.0
41.5	15.8	PLAINES.	3.41	5.34	6.04	6.20	7.52	8.37		10.42		2.07	6.5
48.2	14.5	DRUMMOND.	3,71	J.JT	0.04	0.20	7,52			f10.34	12,021		
52.8	9.9	LORENZO.	3.30	5,20	5.52	6.06	7.40	8.25		110.28	12.12	1.55	6.4
57.2	0	PEQUOT.	3.26	5.15	5.48	6.01	7,35	8.20				1.50	6.4
58.2	0	COAL CITY.		s 5.11	J. TO	0.01	1,55	0.20		10.23 \$10.21	-PM-	1100	0.1.
66.1	4.7	7.9 MAZON.	3.16	5 3:11						\$10.10			
	0	4.7											
70.8	o	VERONA.	3.12	4,59	5.37	5.46	7.23	8.08		s10.02	11.57	1.38	6,3
74.8		KINSMAN.								s 9.56			
79.7	15.8	RANSOM.	3.04							s 9.48			
84.4	15.8 15.8		2,59		5.25	5.34	7.11	7.56	AM	s 9.40	11.45	1.26	6.2
89.6		STREATOR. YL	s 2 .5 0	s 4.35	5.20	s 5 . 25	s 7.05	7.50	s 9.20	s 9.3 0	11.40	s 1.20	s 6.15
89.8	0	GM&O & NYC Crs'g.											
90.2	o	Wabash Crossing.											
93.9	1	< MOON, ™								f 9.08			
95.8	o	ANCONA.	2,37	4.23	5.10	5.13	6.56		s 9.10	_ 9.05 _ AM =	11.30	1.09	6.06
102.1		D LEEDS.							f 9.01				
109.9	25.2	TOLUCA.	2.25	4.11	4.59	5.01	6.45		s 8.51	Via	11.19	12.56	5.55
116.0	26.4	LA ROSE. ω							s 8.41	Pekin District.			
120.9	26.4	WILBERN.	2.15	4.00	4.49	4.50	6 . 35	7.20	s 8.32		11.09	12.46	5.45
130.0		CHILLICOTHE.	2.05 AM	3.50 AM	4.40 AM	4.40 AM	6.25 AM	7,10 AM	8.20 AM		11,00 AM	12.35 PM	5.35 PM
		(130.0)	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily,	Leave Daily.	Leave Daily Except Sun,	Leave Daily. Except Sun.	Leave Daily.	Leave Daily.	Leave Daily.

SIGNAL SYSTEM ONE IN EFFECT:

3

DIVISION.

Chillicothe, Toluca, Ancona, Streator, Verona, Plaines and Joliet U.S. Interlockings.

SIGNAL SYSTEM TWO IN EFFECT:

Chillicothe to Stewart Avenue, except Chillicothe, Toluca, Ancona, Streator, Verona, Plaines and Joliet U.S. Interlockings.

RULE 251 IN EFFECT: Pequot to Joliet U.S.

Interlocking M.P. 3.1 to Stewart Avenue.

RULE 261 IN EFFECT:

Chillicothe to Pequot, including Main Track No. 3.

Joliet U.S. to Interlocking M.P. 3.1.

Trains must secure num-Trains must secure numbered clearance cards before leaving originating stations except Nos. 18, 20 and 22 at Chillicothe and trains from Pekin District at Ancona.

Eastward trains leaving from Streator Yard will use main track No. 3 unless otherwise instructed.

Be governed by C.&W.I. Time Table, Rules and Regulations between C.&W.I. Jct. and Chicago.

and Chicago.

Between Panhandle Crossing and Stewart Ave. Crossing, A.T.&S.F. trains may use Illinois Central Main Track with the current of traffic on signal indication from Stewart Ave. Crossing westward; on hand signal from the Switchtender from Panhandle Crossing eastward; and on signal indication in either direction with the current of traffic from Interlocking M.P. 3.1. These tracks are in Yard Limits (see Rule 93) and protection per Rule 99 must also be provided.

Movements through slip

Movements through slip switches east of Panhandle Crossing may be made only on hand signals from Switch-tender. Signals will be given with yellow flag or yellow light.

Main Track No. 3 between M.P. 88.8 and Kernan is first track south of eastward main track. Trains have no Time Table superiority.

4 ILLINO	IS D	IVISI	ON.									SECOND DISTRICT.					
						ESTWAR								Į.	. Se		
	3	17	15	21	25	23	11	19	57	7	9	TIME TABLE No. 88,	Ruling Grade Ascending,	Fuel, Water, Turn Tables and Wyes.	Capacity of Sidings in 50 ft. Cars.		
	California Limited.	Super Chief.	Texas Chief.	El Capitan.	Motor.	The Grand Canyon.	The Kansas Cityan.	The Chief.	Motor.	Fast Mail- Express.	Kansas City Chief.	January 10, 1954.	Rul	Fuer	Capaci in 55		
	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily Except Sun.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	Leave Daily.	STATIONS.					
Trains must se- cure numbered clear-	PM 11.50 - AM -	РМ 9.15	PM 8.10	PM 7.55	PM 3.10	PM 2.45	AM 11.35	AM 11.10		AM 1.50	AM 12.40	CHILLICOTHE.		FT			
ance cards before leaving originating	12.05	9.24	8,19	8.04	s 3.21	2.57	11.45	11.19		1.59	12.52	EDELSTEIN.	58.1 31.7		W 74		
stations, except Nos. 17, 19 and 21 at					s 3.30							C.R.I.& P. Crossing. 0.4 PRINCEVILLE.	0		ļ		
Chillicothe. First class trains	12.17	9,32	8,27	8.12	s 3.35	3.05	11.53	11.27		2.07	1.03	MONICA. C.B.& Q. Crossing.	31.7				
except No. 25 must secure numbered		7,02	0121		s 3.42							LAURA.	0				
clearance cards at Ft. Madison. Engine-	12.27	9.40	8.35	8.20	s 3. 48	3.13	РМ 12:01	11.35		2.15	1.13	WILLIAMSFIELD.	13.5		E 79 W110		
men on westward trains are not re-	10.24	0.457		0.07	s 3.55	2.00	10.07	11.40		0.22	1 20	DAHINDA.	8.4				
quired to secure clearance cards at	12.34	9.47	8.42	8.27	s 3.59 f 4.05	3.20	12.07	11.42		2,22	1.20	APPLETON. 5.3 KNOX.	25.5				
Ft. Madison. Conductors securing					1 4.09							E. GALESBURG.	31.7				
clearance cards or train orders at Ft.	s12 . 55	10.00	s 8 . 55	8.40	s 4. 20	s 3.35	s12 . 20	11.55		2,35	s 1.4 5	GALESBURG. YL	31.7 21.9	Y			
Madison will deliver copy of same to Mis-												G.I. TOWER. YL		F	E137 W138		
souri Division en- gineman at Shopton.					f 4.28			– PM –				SURREY.	21.9				
SIGNAL SYSTEM	1.07	10.09	9.04	8.49	s 4.33	3.44	12.28	12.04		2.44	1.59	U 2.6 8 CAMERON. 9 4.2 9	17.3 28.2				
ONE IN EFFECT:					s 4.4 0							NEMO. RA	0				
Chillicothe to Shopton.	1.14	10.14	9.09		s 4.44	3,50	12.33	12.10		2.50	2.06	ORMONDE.	0		E102 W 84		
RULE 251 IN				! 	f 4,52							PONEMAH.	23.2				
EFFECT: Appleton to G.I.	1.25	10.22	9.17	9.02	s 4.58	3.59	12.40	12.18		2. 58	2.15	SMITHSHIRE.	12.1				
Tower. E. Ft. Madison to					s 5.03							MEDIA	13.5		F 77		
Shopton.	1.35	10.28	9.23	9.08	s 5.09	4.05	12.46	12.24		3.04	2.21	STRONGHURST.	26.1		E 77 W173		
RULE 261 IN EFFECT:					5.14							DECORRA.	0				
Chillicothe to Appleton.	1.46	10.37	9.32	9.17	s 5.23	4.13	12.54	12.33		3.12	2.30	LOMAX.	10.6		W106		
G.I. Tower to E.					s 5 . 33							DALLAS CITY.	o				
Ft. Madison.		10.50	0.44		\$ 5.38	4.05	1.04	10.44				PONTOOSUC.	0		D 67		
	2.01	10.50	9.44	9.29	s 5.46	4.25	1.04	12.44	– AM –	3,23	2.41	E. FT. MADISON.	21.1	<u> </u>	E 67		
	s 2.20	s10.55	s 9.50	s 9 .3 5	s 6.00	s 4.35	s 1.10	s12.50	5.50	s 3.40	s 2.55	FORT MADISON. TOWER A. YL	0				
	s 2.25	s11.00	s 9,55	s 9.40	6.05	8 4.40	s 1.15	s12.55	s 5.55	s 3.45	s 3.00	Ø	0	F TY			
		L IAI	2 141	1 141	. 101							(51.51 1511 15)		-11			
	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily. Ex. Sun.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	Arrive Daily.	(104.6)					
	40.5	59.8	59.8	59.8	35.9	54.6	62.8	59.8	20.4	54.6	44.8	Average speed per hour.		<u> </u>	<u> </u>		

6 ILLIN	OIS E	IVIS	ION.										PE	KIN	DISTRICT.
			WESTV Second Class. 47	VARD. First Class. 13	Fusl, Water, Turn Tables snd Wyes.	Ruling Grade Ascending.	TIME TABLE No. 88, January 10, 195		Ruling Grade Ascending.	Mile Post.	Communications.	First Class.	Second Class. 48	Capacity of Sidings in 50 ft. Cars.	
			Way Freight.				January 10, 199			Z	<u>ರ</u>	Motor.	Way Freight.	Caps	
			Leave Daily Ex. Sun.	Leave Daily Ex. Sun.			STATIONS.			:		Arrive Daily Ex. Sun.	Arrive Daily Ex. Sun. PM		
			1.45	4.22		0	ANCONA.		0		В	s 9.05			
Trains mu			1.55			15.3	LONG POINT		0	2.5	C	s 8. 58	ļ	·	-
numbered cards before	e leaving		2,10	s 4.35		31.7	DANA. 5.8		0	7.1	C	s 8.50	12.20	20	
originating except Anco	stations, ona.	•	- 25	. 116		. 0	I.C. Crossing.		0	12.9		s 8.42	12.01	19	-
When tra			2.25 2.45			23.8	MINONK.		13.2	19.0	C	s 8.42 s 8.31	I PM	14	-
signal at E	ureka in-		2.43	- 1.30		0	BENSON.		82.7		<u> </u>				-
dicates "St cure A.T.&	S.F. in	l l	3.05	s 5. 06		41.2	ROANOKE.		47.5	24.5	C	s 8. 23	11.00	16	-
clearance ca	addition to T.P.& W. clearance cards. Trains will be governed by T.P.& W. Time Table, Rules and Regulations be-		3.25	5.18		o	STREATOR JCT.	k	0 -	30.7		8.13	10.15	l	•
erned by			3.35	5.23		47.5	EUREKA. 5.5	W. R.	26.4	81.1	C	8.08	10.10	44	-
Time Tabl			3.55	5.33		26.4	PEKIN JCT.	, iz	o	36.6		7.50	9.45		
tween Streator Jct. and Pekin Jct.			4.00			31.7	WASHINGTON	<u>. </u>	31.7	38.0	С	s 7.53	 	I	_
No swite			4.05	1 5.43		31.7	COOPER.		52.8	41.0		f 7,47	9,25	7	-
on Pekin Di		3	4.20	1 5.48		0	CRANDALL. N.Y.C.& St.L. Cross	sing.	29.0	43.4		1 7.43	9.10	<u> </u>	_
			4.40	s 5 .5 5		0	I.T. Crossing. MORTON, 0.1		0	45.7	С	s 7.3 8	9.00	18	
			4.55	1 6.02		42.2	GROVELAND.		o	45.8 49.4		f 7.25	8,20	30	-
						0	EAST YARDS	. YL	81.8		_				1
			5.10 5.25	6.14 6.20	r i	0	G. M. & O. Crossin		82.9	56.8	C	7.12 7.00		I	-
			Arrive Daily	Arrive Daily			PEKIN. (57.9)	YL -		57.7	C	Leave Daily	Leave Daily		
			Ex. Sun.	Ex. Sun.								Ex. Sun. 27.8	Ex. Sun.	ļ	-
		w	I 15.8 ESTWAI	29.4 RD.	<u> </u>		Average speed per b	our.		EA	STW	ARD.	11.6		· ·
	47	51	59	49	39	,	Freight Train Terminals, and Junctions.	40	_		2	48	140	146	
	Way Froight.	Way Freight.	Northern California Fast Freight.	California Tex., Okla Fast Freight.	Oklah Tex Fa Freis	oma as		Perishal Expres		ago W st Frei	ay ght.	Way Freight.	Past Preight.	Fast Freight.	
	Leave Daily Ex. Sun.	Leave Daily Ex. Sun.	Leave Daily.	Leave Daily.	Lea Dai		STATIONS.	Arrive Daily.	Arri Dai	ly. Da	ive ily Sun.	Arrive Daily Ex. Sun.	Arrive Daily.	Arrive Daily,	
		AM 6.45 7.25	AM 11.00	PM 9.30	Ph 6.0	A 00	CORWITH.	AM 12.45 — AM		00 8. M - 2.	15		AM 4.00 - AM —	PM 5.00 - PM -	
		10.00	<u> </u>				OLIET YARD.		_		M				
ļ-	- AM -	- AM -					STREATOR.	ļ		- A	M -	- PM			
	1.45 AM		PM	- AM -			ANCONA.					1.00 - PM			100 to 10
	AM		4.00	2.15	9.2 — Al		CHILLICOTHE,	7.45	9.0	00			10.00	11.00	
			8.00 PM	6.30 AM	12.1 Ab	15	SHOPTON.	8.30 PM	2.0 Al				4.30 PM	5.15 AM	
					1										

TRAINS SHOWN IN THIS TABULATION HAVE NO TIME TABLE AUTHORITY.

Leave Daily.

Leave Duily:

Leave Daily Ex. Sun.

Leave Daily Ex. Sun.

Leave Daily.

Arrive Daily.

Arrive Daily Ex. Sun.

Arrive Daily Ex. Sun.

Arrive Daily.

- Except as otherwise provided, Eastward Trains are superior to Westward Trains of the same class.
- 2. REGISTER STATIONS (Rule 83.)

STATIONS LISTED BELOW ARE REGISTER STATIONS ONLY FOR TRAINS DESIGNATED:

Station Designated Trains.

Corwith......Originating or terminating.
Streator....Originating or terminating or operating via
Pekin District.

Chillicothe.....All except first class trains.
Fort Madison....First class and originating.

AT STATIONS LISTED BELOW TRAINS DESIGNATED WILL REGISTER BY FORM 903:

Shopton..... First class.

4. JUNCTION SWITCHES. (Rule 98)

LOCATION NORMAL POSITION PEKIN DISTRICT Streator Jct. T.P.& W. R.R. Pekin Jct. T.P.& W. R.R.

5. JOINT TRACK FACILITIES.

CHICAGO—A.T.& S.F. trains will use C.& W.I. tracks between C.& W.I. Jct. and Dearborn Station.

PLAINES-PEQUOT—A.T.& S.F. and G.M.& O. The movement of G.M.& O. trains will be governed by A.T.& S.F. rules in G.M.& O. time table.

PEKIN DISTRICT—A.T.& S.F. trains will use T.P.& W. track between Streator Jct. and Pekin Jct.

6. DOUBLE ARM HOME SIGNALS.

Where two or more arms on a home signal govern movements over an interlocked switch, top arm is assigned to the main track and lower arm the inferior route, except as follows:

CHICAGO, Stewart Avenue—A.T.& S.F. track, eastward with traffic: signal just west of crossing; red over red—stop, red over yellow—proceed to signal just east of crossing. I.C. track, eastward with traffic: signal just west of crossing; red over red—stop, yellow—over red—proceed to signal just east of crossing, red over yellow—to all other routes. Eastward against traffic: signal just west of crossing; red—stop, yellow—proceed to Coach Yard and other routes. Eastward with traffic: signal just east of crossing; red over red over red—stop, yellow over red over red—assigned I.C. track, red over yellow over red—C&WI track, red over yellow—Coach Yard and other routes.

CHICAGO. Interlocking, M.P. 3.1—Eastward: first or top indication assigned G.M.& O., second indication A.T.& S.F., third indication I.C. main tracks, fourth or lower indication against traffic. Westward: toe indication of double indication signals assigned A.T.& S.F., lower indication I.C. main tracks. First or top indication of four indication signals assigned G.M.& O., second indication A.T.& S.F., third indication I.C. main tracks, fourth or lower indication against traffic.

JOLIET U.S.—Top arms assigned the passenger or A.T.& S.F. main tracks. Lower arms the freight or the G.M.& O. main tracks.

7. TRAFFIC REVERSAL.

Between Interlocking M.P. 3.1 and Joliet U.S.

Operators will not display proceed signal for movement against current of traffic without train order authorizing.

If trains are to use the other main track without signal indication, move must be authorized by numbered clearance card endorsed. "UseTrack."

If train or engine is stopped by a stop signal, it must stay until authorized to proceed by signal, or telephone advice from the operator. Be governed by Rule 509 (a).

7. TRAFFIC REVERSAL—(Cont'd).

To avoid misunderstanding, instructions or information received by telephone must be repeated to employes from whom received, and names and occupations of employes stated.

Switch indicators are operative only with normal direction of traffic. At switches where there is no head out signal, obtain permission from operator before occupying main track regardless of position of switch indicator. If communication fails, main track may be used under flag protection with front and rear protected until next home signal is passed.

Except as affected by these rules, block signal and train rules remain in force.

8. AUTOMATIC TRAIN CONTROL.

Maximum authorized speeds for cab signal indications are:

그렇게 크리얼마 하일 수 없다고 있는 것이 없다면 한다면 하다가 되었습니다. 하는 하는 하는데 모양하는데, 하는데 없	AVA. A.A.
	Passenger Freight
High (H) Indication	90 60
Medium (M) Indication	40 40
Low (L) Indication	20 20

Should the control cut in while approaching train control territory from the east or the Pekin District, seal may be broken by conductor and pneumatic feature cut out, reporting by wire from first open office. A westward train may then proceed to Pequot, where seal will be delivered to Operator, train control equipment cut in and sealed, and test made before entering train control territory. Should test show train control inoperative, secure train order authority to proceed. If movement from Pekin District beyond Ancona not authorized before arrival Ancona, Conductor call Operator at Streator and be governed by verbal instructions which must be repeated. On arrival Streator, deliver seal to Operator.

Should cut out not be obtained in leaving train control territory at Pequot or Ancona, or should train control cut in after leaving such territory, seal may be broken by conductor and pneumatic feature cut out. Report will be made at terminal and seal there delivered to operator.

11. RAILROAD CROSSINGS AT GRADE.

CHICAGO—Stewart Avenue, I.C., C.& W.I. and P.R.R. Interlocking.

CHICAGO—Panhandle, P.R.R., B.& O.C.T. and C.J. Interlocking. CORWITH—I.N. Interlocking.

NERSKA-Chicago Belt. Interlocking.

McCOOK-B.& O.C.T. Interlocking.

JOLIET-C.R.I.& P. Interlocking.

STREATOR—G.M.& O. and N.Y.C. 0.1 mile west of station. Interlocking. Maximum speed 20 MPH.

STREATOR-Wabash 0.5 mile west of station. Interlocking.

PRINCEVILLE—C.R.I.& P. 0.4 mile east of station. Automatic Interlocking.

MONICA-C.B.& Q. Interlocking.

MINONK—I.C. 0.1 mile east of Station. Interlocking. Maximum speed 20 MPH. If home signal indicates "stop," authority to proceed must be obtained from Illinois Central operator. If so authorized member of crew must flag crossing until occupied by car or engine.

CRANDALL—N.Y.C.&St.L. Automatic Interlocking. Maximum speed 20 MPH.

MORTON-I.T. just east of station. Stop. See Rules 98, A, B, C and D

MORTON—P.R.R. 0.1 mile west of station. Stop. See Rules 98, A, B, C and D.

EAST YARDS-G.M.& O. Interlocking.

8

12. MAXIMUM AUTHORIZED SPEED FOR TRAINS.

		LES HOUR
LOCATION	Pass- enger	Freight and Mixed
FIRST DISTRICT:		la de la constante de la const
Chicago and Pequot	79	60
Pequot and Chillicothe		60 60
SECOND DISTRICT		30
Chicago, Dearborn Station to 12th Street Viaduct	1 8	1 8
Chicago, Curve, 15th to 16th Streets	15	12
Chicago, Stewart Avenue Interlocking turnouts	1 10	10
Chicago, Stewart Ave. to Interlocking M.P. 3.1	1 30	30
Chicago, Interlocking, M.P. 3.1	1 20	1 15
Curve, M.P. 9.7 to 9.9	40	35
Bridge, M.P. 9.9 to 10.0	30	25
Curve, M.P. 11.9 to 12.3, east of McCook	60	50
Curve, M.P. 24.0 to 24.7	1 79	50
Bridge, M.P. 24.7 to 24.8	40	30
4 Curves. M.P. 24.8 to 25.9, (Lemont)	i 50	40
2 Curves, M.P. 27.4 to 28.7	65	50
Curve, M.P. 29.0 to 29.2, (Romeo)	70	55
Curve, M.P. 35.3 to 35.6, \(\) Westward Trac	k 79	50
Eastward Trac		50
Curve. M.P. 36.3 to 36.7, Westward Trace		40
(Basin Bridge) (Eastward Trac		30
Curve, M.P. 37.0 to 37.1	35	25
Curves, M.P. 37.2 to 37.8, Joliet, through turnou		15
Curve, M.P. 43.6 to 43.9 Eastward Trac		50
3 Curves, M.P. 57.0 to 57.2 Eastward Trac		40
Curve, M.P. 57.0 to 57.3 Westward Trac		50
Curve, M.P. 58.4 to 58.6, (Coal City)	60	50
Track No. 3, Kernan to M.P. 88.8	40	30
2 Curves, M.P. 88.2 to 89.0, (east of Streator) Westward Trace		50 40
Streator, Main Street to Wabash Crossing	1 20	20
Different, main biffer to warden crossing		reserves.
SECOND DISTRICT.	1 70	
2 Curves, M.P. 131.6 to 132.1	70 55	50
9 Curves, M.P. 132.6 to 136.8, (Edelstein Hill)		50
10 Curves, M.P. 161.6 to 170.3	75	20
Galesburg, C.B.& Q. viaduct to Main Street	20	20
Curve, M.P. 224.7 to 225.0, (Dallas City)	50	40
Curve, M.P. 230.7 to 231.1 Mississippi River Bridge, M.P. 231.5 to 231.8	40	30
8 Curves, M.P. 231.8 to 234.3	30	30
8 Curves, M.P. 251.8 to 254.8	00	30
PEKIN DISTRICT.	98 1	
	35	
2 Curred M P 49 9 to 50 2 (Craveland)		
2 Curves, M.P. 49.9 to 50.3, (Groveland) 4 Curves, M.P. 54.5 to 55.8	35	

13. SPEED REGULATIONS, PASSENGER TRAINS.

Enginemen of trains in which are dining or cafe cars will, during meal hours, regulate speed and manipulate air, rounding curves and making station stops, so that train will move smoothly, without jar, and train conductors must observe that this is done.

14. MAXIMUM SPEED OF LO		MILES PE	R HOTTE	
Diesel and Gas-Electric		Light Forward	Backing Or When Con- trolled From Rear Unit	Dead In Train
11-90, 300-314	100	45	45	90
325-344	80	45	45	80
100-280, 400-430	65	45	45	60
2099, 2100-2162, 2650-2893,	l co	a s Cossesso	energy Voler	Alma inter
3000-3019	65	45	45*	60
450-451	30	30	30	20
460-468	35	35	35	20
500-540, 625-633, 1500-1537, 2200-2299, 2303-2304, 2310-2391, 2394-2399, 2403-2438, 2600-2606	45	45	45	45
650-653, 2300-2302, 2400-2402	40	40	40	30
RDC 191, 192 (Coupled)	80	80	70	70
RDC 191, 192 (Single Unit)	80	80	50	70
M115-M157, M175-M187	65	65	25	60
M160-M162	70	65	25	70
M190	80	65	25	75
* Note: 65 MPH applies when backing handling train.				
Steam	00	00	00	
6 wheel & 8 wheel switch 762-768, 777, 811-816, 856, 900-984, 1600-1698, 1902-1981,	20	20	20	
2542-2569	35	35	25	
885-898, 3102-3158	45	35	25	
1001-1148, 1801-1882, 3168-3277,	keysuksa.	Isaanaa I	et varaera k	G. S.
4005-4115, 4197, 5000-5035	60	40	25	
3516-3520, 3751-3775	90	40	25	
2900-2929, 3403-3439, 3450-3465,		40	OE.	
3776-3785 2507-2525	100 55	40 40	25 25	
2507-2525 3700-3746	55 70	40	25	
3700-3746 3801-3940	70 50	40	25	
3801-3940	30.	40	20	
		AVIVIER AVARENTE		
		Harrista Professor		<u>21882 ABB</u> Skippersky
		S CHÁILE MARCHAI	andrika l	
	San Saya Sanggaran			
	escential to the			
Profesional Control of the Control o				
	Name (Name)	Well-Aug 17		
		NEW YORK		

15. MOVEMENTS OVER SUBMERGED TRACKS. (Rule 817)

Equipment listed below must not be moved through water above top of rail greater than the depths and not in excess of the speeds

Types of Equipment	Maximum Depth Above Top of Rail (Inches)	Maximum Speed in Tow (M.P.H.)	Maximum Speed Under Own Power (M.P.H.)
Diesel Engines, Classes			
450 - 451	2	5	5
2099 - 2100 51 - 90 - 650 - 2300 -	3	5	5
2301 - 2310 - 2600 - 3000	4	5 5	5 5
460 - 2400	4½	5	5
2418 - 2650 Diesel-Electric and	5	5	5
Gas Electric Motor Cars Steam Engines	3	5	5
Roller Bearings	9	5	5
Passenger Cars Roller Bearings	8	5	0
Friction Bearings	** ** ** ** ** ** ** ** ** ** ** ** **	5	Ŏ

16. DEAD ENGINES.

Trains handling steam engines dead in train must not exceed 20 MPH without special instructions.

Dead engines must not be moved with side rods down or any driver suspended without special instructions.

17. STEAM WRECKING CRANES, ETC.

Trains handling wrecking outfits, derricks, steam shovels, clam shells, ditchers, pile drivers, spreaders (except spreaders with wings folded and fastened), and similar machinery moving on their own running gear must not exceed 30 MPH at any point on First and Second Districts and 24 MPH at any point on Pekin District. Such equipment must not be moved in any train except on authority of trainmaster.

18. SWITCHES-MAXIMUM AUTHORIZED SPEED.

Maximum authorized speed 10 MPH heading in or out over other than main track switches; 15 MPH over main track switches except those listed herein. Trains or engines trailing through and springing points of spring switches will not exceed speed prescribed for turnout.

"I"-Interlocked Switch

"S"-Spring Switch

STATION	TYPI	E LOCATION	MPH
		FIRST DISTRICT	
Corwith	I	East leg of wye Crossovers west of I.N. crossing	10 30
McCook	I	Head out eastward siding Head in eastward siding	40 40
M.P. 14.2	I	Crossover	40
M.P. 14.5	II	30	
M.P. 16.5	II	Switch to Hodgkins Yard	30
Willow Springs	SI	Head out switches Crossovers and head in switches	30 40
Romeo	III	Crossovers	40
Joliet Yard	IS	Eastward head in Head out switch MP 36.4	30 30
Plaines	S	G.M.&O. to A.T.&S.F. West end siding and connection G.M.&O. to A.T.&S.F.	40 30

18. SWITCHES-MAXIMUM AUTHORIZED SPEED-(Cont'd)

"I"-Interlocked Switch.

"S"-Spring Switch.

STATION	TYPE	E LOCATION	MPH
	F	IRST DISTRICT—(Cont'd)	
Pequot	II	A.T.&S.F. to G.M.&O.	40
		Crossovers	40
Verona	S	Crossovers and head in switches Head out switches	40
TZ			30
Kernan	I	Crossovers	40
Streator	I	Crossovers and turnout Wabash Crossing	30
Ancona	I	Pekin District turnout	30
	<u> </u>	Crossovers	40
Toluca	I	Trailing point crossover	40
	I	Facing point crossover	30
	S	Head out westward siding	30
Chillicothe	I	Crossovers and turnouts east end yard	40
	<u>EMEN</u>	SECOND DISTRICT	
Chillicothe	II I	Crossovers and turnouts west end yard	30
Edelstein	I	Crossovers	40
	S	Head out westward siding	15
Monica	I	Crossovers	40
Williamsfield	I	Crossovers	30
	S	Head out eastward siding	30
	S	Head out westward siding	15
Appleton	I	Facing point crossover	30
G.I. Tower	I	Head in westward siding	30
	I	Head out westward siding	30
	I	Crossovers	40
	S	Head out eastward siding	30
Ormonde	I	Crossovers and head in eastward siding	40
	S	Head out switches	30
Smithshire	I	Crossovers	40
Stronghurst	I	Crossovers	40
	I	Head in switches	30
	[S]	Head out switches	30
Lomax] I	Crossovers	40
	S	Head out westward siding	30
E. Ft. Madison	I	Crossovers	40
Tower A	I	Crossover	30
	Ī	Westward yard head in	30
	I	Eastward yard head out	30

19. YARD LIMITS.

Chicago (includes Corwith and Nerska). All movements between Panhandle Crossing and Stewart Avenue Crossing must be protected as per Rule 99.

Joliet U.S. (includes Joliet yard.) Galesburg (includes G.I. Tower.) Streator.

Fort Madison (includes Shopton.) Pekin (includes East Yards.)

Chillicothe.

20. BULLETIN BOOKS.

Chicago...... Dearborn Station, Coach Yard and Roundhouse Offices.

Corwith..... Telegraph, Roundhouse, No. 6 Yard Offices and Yardmen's Locker Facility.

Joliet Yard . . . Yard Office.

Streator.....Telegraph and Roundhouse Offices.

Chillicothe.....Telegraph and Roundhouse Offices and Reading Room.

Galesburg.....Yardmen's Locker Room.

Fort Madison. . Trainmen's Locker Room.

Shopton..... Telegraph and Roundhouse Offices. Pekin..... Station and Roundhouse Offices.

ILLINOIS DIVISION. 10

21. STANDARD CLOCKS.

Chicago......Dearborn Station, Coach Yard and Roundhouse Offices.

Corwith Telegraph. Roundhouse Offices, and Yardmen's Locker Facility.

Joliet Yard Yard Office. Streator.....Telegraph Office. Chillicothe....Telegraph Office.

Fort Madison .. Telegraph Office.

Shopton..... Telegraph and Roundhouse Offices.

22. STANDARD THERMOMETERS.

Chicago, Coach Yard Office. Streator Noma Chillicothe. Shopton. Corwith. Joliet Yard. McCook. Plaines. G.I. Tower.

23. OVERHEAD OBSTRUCTIONS. (Rule 761)

Mile Post	Name
	FIRST DISTRICT
35.4 116.9	Railroad Viaduct. Railroad Viaduct.
	SECOND DISTRICT
136.1 176.1 176.6	Highway Viaduct. Highway Viaduct. Railroad Viaduct.

24. INDUSTRY AND OTHER TRACKS NOT ON SCHEDULE PAGE.

Name		ation	Capacity	
FIRST DISTRICT				
Waterways Terminal (spur)	. M.P.	9.7	72 cars Yard	
Hodgkins Yard	. M.P.	22.8	60 cars	
Lemont Refinery (spur)	M.P.		132 cars	
Millsdale (spur)			7 cars	
Northern Illinois Coal Co. Tipple, Wye	M.P.	55.0	Yard	
Gorman (spur)	M.P.	61.9	7 cars	
SECOND DISTRICT		Alexander of the second		
Dahinda, Stanolind (spur)	. M.P.	163.9	17 cars	

25. STATUTORY REGULATIONS.

IN ILLINOIS, it is lawful for the conductor to remove from the train, using no unnecessary force, any passenger who shall refuse, upon reasonable demand, to pay his lawful fare, or who shall upon the train or car use any abusive, vulgar, threatening. obscene or profane language thereon, or shall so conduct himself as to make his presence offensive or unsafe to passengers thereon; and when any passenger shall be guilty of disorderly conduct or use any obscene language to the annoyance and vexation of passengers, or play any game of cards or other games of chance for money or other valuable thing upon any railroad train, the conductor is authorized to stop his train at any place where such offense has been committed and eject such passenger from the train, using only the force which may be necessary to accomplish the removal, but before doing so shall tender to such passenger such proportion of the fare he has paid as the distance he then is from the place to which he has paid his fare bears to the whole distance for which he has paid his fare. Conductor may command the assistance of other employes of the railroad, or any of the passengers to assist in such removal.

26. SPEED TABLE.

Table of speeds (minutes and seconds per mile, in terms of miles

Time Per Miles		Time Per		Miles	Time Per		Miles
Mile Per		Mile		Per	Mile		Per
Min. Sec. Hour		Min. Sec.		Hour	Min. Sec.		Hour
36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55	100 97.3 94.7 92.3 90.0 87.8 85.7 83.7 81.8 80.0 78.3 76.6 75.0 73.5 72.0 70.6 69.2 67.9 66.6 65.5 64.2 63.2	111111111111111111111111111111111111111	58 59 02 04 06 08 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38	62.1 61.0 60.0 58.0 56.2 54.5 52.9 51.4 50.0 48.6 47.4 46.1 45.0 42.9 41.9 40.9 39.1 38.3 37.5 36.8	1 1 1 1 1 1 1 1 1 2 2 2 2 2 2 2 3 4 4 5 6	40 42 44 46 48 50 52 54 56 58 30 45 	36.0 35.3 34.6 34.0 33.3 32.7 32.1 31.6 31.0 30.5 30.0 28.8 27.7 26.7 24.0 21.8 20.0 17.1 15.0 13.0

CONDITIONAL STOPS SHOWN BELOW WILL BE MADE ONLY FOR REVENUE PASSENGERS. The term "beyond" refers to regular, flag or conditional stops authorized herein.

TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM	TRAIN	STOPS AT STATIONS	TO RECEIVE PASSENGERS FOR	TO DISCHARGE PASSENGERS FROM				
3	In Illinois Dallas City	Kansas City and beyond	Chicago	19—20	Joliet Streator Chillicothe Galesburg La Plata Marceline Carrollton Emporia	Streator Chillicothe	Streator Chillicothe	Streator Chillicothe	Streator Chillicothe	Hutchinson Stafford St. John Macksville	Hutchinson Stafford St. John Macksville
	Verona Strong City Florence	Beyond Newton	Chicago and beyond Emporia and beyond			Garden City Lamar Valmora	Garden City Lamar Valmora Glorieta and				
4	Newton to Kansas City		Wichita and beyond			Glorieta and Scheduled Stops in Kansas					
	East of Kansas City		Beyond Kansas City			Colorado New Mexico Arizona California					
	Toluca Dallas City	Chicago and beyond									
	Ransom Kinsman Verona	Beyond Chicago		21—22	Joliet Streator Chillicothe	Scheduled stops in California	Scheduled stops Albuquerque and West				
5	Mazon J Ottawa Jet.	South of Newton	Illinois		Galesburg	Lamy and Scheduled stops	Lamy and Scheduled stops Albuquerque and West				
6	Newton to Kansas City	Codesi of Ivewson	Wichita and beyond			in California					
8	Ottawa Jct.		Beyond Emporia	23	Chicago to Wellington	Belen and beyond					
11	Carrollton	Tulsa			Chicago to Kansas City	Beyond Newton					
	Newkirk	Oklahoma City and beyond	Wichita and beyond	24	Wellington to Chicago	12 (12) 1796 - 1800 - 1800	California Arizona				
12	Newkirk	Wichita and beyond	Oklahoma City and beyond		Kansas City to Chicago		Beyond Newton				
15	Marceline	Tulsa, Wichita		Carrollton		Chicago					
		and beyond	Chicago	27	Scranton		Kansas City and beyond				
16	Marceline } La Plata		Wichita and beyond	123—124	Between	Beyond Newton	Beyond Newton				
17—18	Joliet	Scheduled stops in Arizona and California	Scheduled stops in Arizona and California		Kansas City and Newton						
				211—212	Collinsville	Kansas City and beyond	Kansas City and beyond				
	Chillicothe Galesburg	Scheduled stops in California	Scheduled stops in California								

Attendants accompanying live-stock or other shipments, may be carried on the train handling shipment of which they are in charge, when provided with proper transportation.




SANTA FE



Every employe should report promptly to his foreman, some member of the Safety Committee, or other proper person, all unsafe conditions or practices.

(See General Rules E and F, Book of Rules.)



BULLETIN NO. 182

Chillicothe, April 22, 1954

ALL CONCERNED:

Effective Sunday, April 25th, 1954, the schedule of Train No. 18, the eastward Super Chief, time table No. 88, will be annulled, and the train will be operated one hour earlier than the schedule of No. 18.

For operating purposes this train will be dispatched as a section of a preceding schedule, and the new leaving time at Illinois Division stations will be as follows:

<u>Station</u>	Leaving	Time
Shopton	8:25 AM	
Fort Madison	8:30 AM	
E. Ft. Madison	8:33 AM	
Lomax	8:43 AM	
Stronghurst	8:51 AM	
Smithshire	8:57 AM	
Ormonde	9:04 AM	
Cameron	9:08 AM	
Galesburg	9:15 AM	
Appleton	9:27 AM	
Williamsfield	9:33 AM	
Monica	9:41 AM	
Edelstein	9:51 AM	
Chillicothe	10:00 AM	
Wilbern	10:09 AM	
Toluca	10:19 AM	
Ancona	10:30 AM	
Streator	10:40 AM	
Kernan	10:45 AM	
Verona	10:57 AM 11:08 AM	
Pequot	11:12 AM	
Lorenzo	11:12 AM	
Plaines Joliet U.S.	11:24 AM	
	11:38 AM	
Lockport Romeo	11:42 AM	
Lemont	11:48 AM	
Willow Springs	11:56 AM	
McCook	12:02 PM	
Nerska	12:10 PM	
Panhandle Crossing	12:14 PM	
C.& W.I. Jct.	12:25 PM	
Chicago Arrive	12:30 PM	
01170020	لللد ال والمالية	